

EKSPLUATĀCIJAS ĪPAŠĪBU DEKLARĀCIJA N. CPR-PL1/165

- 1) Unikāls produkta tipa identifikācijas kods: **PLANISEAL 88 pelēks**
- 2) Paredzētais pielietojums: **Virsmas aizsardzības līdzeklis – pārklājums mitruma kontrolei un pretestības palielināšanai**
- 3) Ražotājs: **MAPEI Polska Sp. z o.o. ul. Gustawa Eiffel'a 14, 44-109 Gliwice - www.mapei.pl**
- 4) Sistēma AVCP: **Sistēma 2+; Sistēma 3, uguns reakcija**
- 5) Vienotais standarts: **EN 1504-2:2004**

Izpildinstitūcijas: **Instytut Techniki Budowlanej N. 1488 veica ražotnes un rūpnīcas produkcijas kontroles sākotnējo pārbaudi un rūpnīcas produkcijas kontroles pastāvīgu uzraudzību, novērtēšanu un novērtēšanu un izdevis rūpnīcas ražošanas kontroles atbilstības sertifikātu Nr. 1488-CPR-0198/Z un Nr. 1488-CPR-0198/Z**

Instytut Techniki Budowlanej, N. 1488, veikusi veikspējas novērtējumu (uguns reakcija), pamatojoties uz testa paraugiem, ko iesniedzis ražotājs.

- 6) Deklarētās ekspluatācijas īpašības:

Būtiskākie raksturlielumi	Ekspluatācijas īpašības
Ūdens tvaiku caurlaidība Kapilārā absorbētspēja un ūdens caurlaidība Adhēzijas stiprība ar atraušanas testu Uguns reakcija Bīstamas vielas	Klase I $S_D < 5$ m $< 0,1 \text{ kg} \cdot \text{m}^{-2} \cdot \text{h} - 0,5$ $\geq 2,0 \text{ N/mm}^2$ Klase E NPD

Augstāk norādītā produkta veikspēja atbilst deklarētajām īpašībām.

Šī ekspluatācijas īpašību deklarācija ir izsniegta saskaņā ar Regulu (ES) Nr 305/2011, ar pilnu iepriekš norādītā ražotāja atbildību.

Parakstīts ražotāja vārdā: **MAPEI Polska Sp. z o.o. Valdes locekle Veronica Squinzi**



Gliwice, 26/02/2020

EĪD PDF formātā ir pieejamas Mapei mājas lapā

Pārskats 2 piezīmes:	Prece nemainīga, papildu sertifikāta numurs 1488-CPR-0198/Z
---------------------------------------	--

PLANISEAL 88 szary
CE MARKING
Annex to DoP N. CPR-PL1/165



 1488	 MAPEI Polska Sp. z o.o. ul. Gustawa Eiffel'a 14, 44-109 Gliwice www.mapei.pl
<p style="text-align: center;">19 CPR-PL1/165 EN 1504-2 PLANISEAL 88 szary <i>Surface protection product – coating for moisture control and increasing resistivity</i></p>	
Water vapour permeability Capillary absorption and permeability to water Adhesion strength by pull off test Reaction to fire	Class I $S_D < 5 \text{ m}$ $< 0,1 \text{ kg} \cdot \text{m}^{-2} \cdot \text{h}^{-0,5}$ $\geq 2,0 \text{ N/mm}^2$ Class E

DECLARATION OF PERFORMANCE N. CPR-PL1/165

- 1) Unique identification code of the product-type: **PLANISEAL 88 szary**
- 2) Intended use/es: **Surface protection product – coating for moisture control and increasing resistivity**
- 3) Manufacturer: **MAPEI Polska Sp. z o.o. - ul. Gustawa Eiffel'a 14, 44-109 Gliwice - www.mapei.pl**
- 4) System/s of AVCP: **System 2+; System 3 (reaction to fire)**
- 5) Harmonized standard: **EN 1504-2:2004**

Notified body/ies: **Instytut Techniki Budowlanej N. 1488**, performed the initial inspection of the manufacturing plant and of factory production control and the continuous surveillance, assessment and evaluation of factory production control and issued the certificate of conformity of the factory production control No 1488-CPR-0394/Z and No 1488-CPR-0198/Z

Instytut Techniki Budowlanej N. 1488, carried out the assessment of the performance (for reaction to fire) on the basis of testing on samples taken by the manufacturer.

- 6) Declared performance/s:

Essential characteristics	Performances
Water vapour permeability	Class I $S_D < 5$ m
Capillary absorption and permeability to water	$< 0,1 \text{ kg}\cdot\text{m}^{-2}\cdot\text{h}^{-0,5}$
Adhesion strength by pull off test	$\geq 2,0 \text{ N/mm}^2$
Reaction to fire	Class E
Dangerous substances	NPD

The performance of the product identified above is in conformity with the set of declared performances.

This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.



Signed for and on behalf of the manufacturer by: **Veronica Squinzi – Member of the Board of MAPEI Polska Sp. z o.o.**

Gliwice, 26/02/2020


MAPEI POLSKA Sp. z o.o.
Członek Zarządu
This is a CE DoP digitally signed by:
.....
Veronica Squinzi

DoP in Pdf format are available on the Mapei Polska Sp. z o.o. website.

Revision 2 notes:	Product unchanged, additional certificate number 1488-CPR-0198/Z
--------------------------	---

 1488	 MAPEI MAPEI Polska Sp. z o.o. ul. Gustawa Eiffel'a 14, 44-109 Gliwice www.mapei.pl
<p style="text-align: center;"> 19 CPR-PL1/165 EN 1504-2 PLANISEAL 88 szary <i>Surface protection product – coating for moisture control and increasing resistivity</i> </p>	
Water vapour permeability Capillary absorption and permeability to water Adhesion strength by pull off test Reaction to fire	Class I $S_D < 5 \text{ m}$ $< 0,1 \text{ kg}\cdot\text{m}^{-2}\cdot\text{h}^{-0,5}$ $\geq 2,0 \text{ N/mm}^2$ Class E